# Author Index to Volume 172


Abboud, J.-L.M., see M. Alcamí 172 (1990) 471
Adams, G.F., see J.O. Jensen 172 (1990) 379
Alcamí, M., O. Mó, M. Yáñez, J.-L.M. Abboud and J. Elguero, Bond activation by protonation in the gas phase 172 (1990) 471
Amos, A.T., T.F. Palmer, A. Walters and B.L. Burrows, Atom–atom potential parameters for van der Waals complexes of aromatics and rare-gas atoms 172 (1990) 503
Anderson, M.W. and J. Klinowski, Monitoring organic products of catalytic reactions on zeolites by two-dimensional *J*-resolved solid-state NMR 172 (1990) 275
Angyan, J.G., see F. Colonna 172 (1990) 55
Attard, P., D. Wei and G.N. Patey, Critical comments on the nonlocal dielectric function employed in recent theories of the hydration force 172 (1990) 69
Axon, S.A., K. Huddersman and J. Klinowski, Gallium EXAFS and solid-state NMR studies of Ga-substituted MFI-type zeolites 172 (1990) 398

Balasubramanian, K., see K.K. Das 172 (1990) 372
Bancroft, G.M., see Z.F. Liu 172 (1990) 421
Banerjee, S.B., see P. Jana 172 (1990) 158
Batova, E.E., see V.Ya. Shafirovich 172 (1990) 10
Behera, L., T. Kar and A.B. Sannigrahi, Effect of basis-set superposition on the atomic charges and valencies in hydrogen- and lithium-bonded complexes 172 (1990) 487
Berezhkovskii, A.M. and V.Yu. Zitserman, Solvent slow-mode influence on chemical reaction dynamics: a multidimensional Kramers-theory treatment 172 (1990) 235
Bergmann, T., see T.P. Martin 172 (1990) 209
Billing, G.D., see N. Markovic 172 (1990) 509
Boldyrev, A.I. and P. von R. Schleyer, The electron affinity of $LiBO_2$ and the structure of its negative ion, $LiBO_2^-$ 172 (1990) 193
Bouvet, M. and J. Simon, Electrical properties of rare earth bisphthalocyanine and bisnaphthalocyanine complexes 172 (1990) 299
Bowman, R.M., see M.H.M. Janssen 172 (1990) 99
Brauman, J.I., R.N. Zare and R.D. Levine, Fragment isotope distribution as a signature of molecular fluxionality 172 (1990) 231
Brienne, J., see I. Ledoux 172 (1990) 440
Bulatov, A. and V. Fetisov, Nonstationary nucleation in the supersaturated vapor 172 (1990) 388
Burrow, P.D., see S.C. Chu 172 (1990) 17
Burrows, B.L., see A.T. Amos 172 (1990) 503

Cannistraro, S., see R. Lamanna 172 (1990) 312
Carnie, S.L., see G.A. Christos 172 (1990) 249
Castellani, L., see G. Zerbi 172 (1990) 143
Cavell, R.G., see Z.F. Liu 172 (1990) 421
Chabalowski, C.F., see J.O. Jensen 172 (1990) 379

# Author Index to Volume 172


Abboud, J.-L.M., see M. Alcamí 172 (1990) 471
Adams, G.F., see J.O. Jensen 172 (1990) 379
Alcamí, M., O. Mó, M. Yáñez, J.-L.M. Abboud and J. Elguero, Bond activation by protonation in the gas phase 172 (1990) 471
Amos, A.T., T.F. Palmer, A. Walters and B.L. Burrows, Atom–atom potential parameters for van der Waals complexes of aromatics and rare-gas atoms 172 (1990) 503
Anderson, M.W. and J. Klinowski, Monitoring organic products of catalytic reactions on zeolites by two-dimensional *J*-resolved solid-state NMR 172 (1990) 275
Angyan, J.G., see F. Colonna 172 (1990) 55
Attard, P., D. Wei and G.N. Patey, Critical comments on the nonlocal dielectric function employed in recent theories of the hydration force 172 (1990) 69
Axon, S.A., K. Huddersman and J. Klinowski, Gallium EXAFS and solid-state NMR studies of Ga-substituted MFI-type zeolites 172 (1990) 398

Balasubramanian, K., see K.K. Das 172 (1990) 372
Bancroft, G.M., see Z.F. Liu 172 (1990) 421
Banerjee, S.B., see P. Jana 172 (1990) 158
Batova, E.E., see V.Ya. Shafirovich 172 (1990) 10
Behera, L., T. Kar and A.B. Sannigrahi, Effect of basis-set superposition on the atomic charges and valencies in hydrogen- and lithium-bonded complexes 172 (1990) 487
Berezhkovskii, A.M. and V.Yu. Zitserman, Solvent slow-mode influence on chemical reaction dynamics: a multidimensional Kramers-theory treatment 172 (1990) 235
Bergmann, T., see T.P. Martin 172 (1990) 209
Billing, G.D., see N. Markovic 172 (1990) 509
Boldyrev, A.I. and P. von R. Schleyer, The electron affinity of $LiBO_2$ and the structure of its negative ion, $LiBO_2^-$ 172 (1990) 193
Bouvet, M. and J. Simon, Electrical properties of rare earth bisphthalocyanine and bisnaphthalocyanine complexes 172 (1990) 299
Bowman, R.M., see M.H.M. Janssen 172 (1990) 99
Brauman, J.I., R.N. Zare and R.D. Levine, Fragment isotope distribution as a signature of molecular fluxionality 172 (1990) 231
Brienne, J., see I. Ledoux 172 (1990) 440
Bulatov, A. and V. Fetisov, Nonstationary nucleation in the supersaturated vapor 172 (1990) 388
Burrow, P.D., see S.C. Chu 172 (1990) 17
Burrows, B.L., see A.T. Amos 172 (1990) 503

Cannistraro, S., see R. Lamanna 172 (1990) 312
Carnie, S.L., see G.A. Christos 172 (1990) 249
Castellani, L., see G. Zerbi 172 (1990) 143
Cavell, R.G., see Z.F. Liu 172 (1990) 421
Chabalowski, C.F., see J.O. Jensen 172 (1990) 379

Chaudhuri, R., see D. Mukhopadhyay Jr. 172 (1990) 515
Chibante, L.P.F., see L. Wang 172 (1990) 335
Chierichetti, B., see G. Zerbi 172 (1990) 143
Christos, G.A. and S.L. Carnie, Computer simulation of semi-dilute polyelectrolyte solutions 172 (1990) 249
Chu, S.C. and P.D. Burrow, Dissociative attachment of electrons in the chloromethanes 172 (1990) 17
Chung, C. and S. Wimperis, Three- and five-quantum filtration experiments in $^{25}$Mg NMR of a macromolecular system 172 (1990) 94
Colonna, F., J.G. Angyan and O. Tapia, Modelling the electric field of water obtained from accurate SCF wave functions 172 (1990) 55
Cong, P., A. Mokhtari and A.H. Zewail, Femtosecond probing of persistent wave packet motion in dissociative reactions: up to 40 ps 172 (1990) 109
Cooksy, A.L., see A. O'Keefe 172 (1990) 214
Craw, J.S. and M.A.C. Nascimento, Ab initio $^{13}$C shielding parameters in acetylene clusters 172 (1990) 265
Curl, R.F., see L. Wang 172 (1990) 335
Cutler, J.N., see Z.F. Liu 172 (1990) 421

Das, K.K. and K. Balasubramanian, Spectroscopic constants and potential energy curves of electronic states of LaH 172 (1990) 372
Davis, R.W., see C.D. Paulse 172 (1990) 43
Delmelle, M., see R. Lamanna 172 (1990) 312
Dickinson, E., see D.J. McClements 172 (1990) 449
Dietz, F., see K. Schöffel 172 (1990) 187
Dodsworth, E.S. and A.B.P. Lever, The use of optical electronegativities to assign electronic spectra of semiquinone complexes 172 (1990) 151
Döge, G., D. Lindner, W. Richter and D. Schiel, The effect of resonant vibrational coupling on the frequency of the $\nu_2$ mode of liquid methyl iodide in Raman scattering and infrared absorption 172 (1990) 453
Dreger, Z., see J. Kalinowski 172 (1990) 522

Ehara, M., see H. Nakatsuji 172 (1990) 261
Elguero, J., see M. Alcamí 172 (1990) 471
Engels, B., see K. Funken 172 (1990) 180
Eychmüller, A., see L. Katsikas 172 (1990) 201

Fain, B., Supertunneling in dissipative media 172 (1990) 393
Fenistein, S., M. Heninger, R. Marx, G. Mauclaire and Y.M. Yang, Radiative relaxation of $NO^+(X, v=1-4)$ 172 (1990) 89
Fetisov, V., see A. Bulatov 172 (1990) 388
Field, M.J., Simulated annealing, classical molecular dynamics and the Hartree–Fock method: the NDDO approximation 172 (1990) 83
Franchy, R., see P. Sjövall 172 (1990) 125
François, J.P., see J.M.L. Martin 172 (1990) 346
François, J.P., see J.M.L. Martin 172 (1990) 354
Fujino, T., see Y. Hinatsu 172 (1990) 131
Fujitsuka, M., see K. Nakamura 172 (1990) 205
Funken, K., B. Engels, S.D. Peyerimhoff and F. Grein, Study of the hyperfine coupling constants of the molecules $NH_2$, NHD and $ND_2$ 172 (1990) 180

Gallazzi, C., see G. Zerbi 172 (1990) 143
Ganguly, T., see P. Jana 172 (1990) 158
Gburski, Z., see A. Kloc 172 (1990) 73
Ghosh, S.K., Energy derivatives in density-functional theory 172 (1990) 77
Giersig, M., see L. Katsikas 172 (1990) 201
Gijbels, R., see J.M.L. Martin 172 (1990) 346
Gijbels, R., see J.M.L. Martin 172 (1990) 354
Godlewski, J., see J. Kalinowski 172 (1990) 522
Göhlich, H., see T.P. Martin 172 (1990) 209
Gönül, B., see E. Kasap 172 (1990) 499
Goodman, D.W., see W.K. Kuhn 172 (1990) 331
Graener, H., G. Seifert and A. Laubereau, Direct observation of rotational relaxation times by time-resolved infrared spectroscopy 172 (1990) 435
Grein, F., see K. Funken 172 (1990) 180
Guyot-Sionnest, P. and A. Tadjeddine, Spectroscopic investigations of adsorbates at the metal–electrolyte interface using sum frequency generation 172 (1990) 341

Handy, N.C., see W.H. Miller 172 (1990) 62
Harano, A., J. Kinoshita and S. Koda, Decomposition of gaseous hydrocarbons in a laser-induced plasma as a novel carbonaceous source for cluster formation 172 (1990) 219
He, J.-W., see W.K. Kuhn 172 (1990) 331
Heath, J., see A. O'Keefe 172 (1990) 214
Heninger, M., see S. Fenistein 172 (1990) 89
Hernandez, R., see W.H. Miller 172 (1990) 62
Hess, B., see A.M. Zhabotinsky 172 (1990) 445
Hinatsu, Y. and T. Fujino, Study of electron paramagnetic resonance on $Ce_{0.1}U_{0.9}O_2$ solid solution 172 (1990) 131
Hjorth, J., see J. Skibsted 172 (1990) 279
Ho, W., see P. Sjövall 172 (1990) 125
Holloway, S. and B. Jackson, Rotational state distributions as a probe of dissociative adsorption 172 (1990) 40
Hom, M., see J.M. Warman 172 (1990) 114
Huang, J.Y., see R. Superfine 172 (1990) 303
Huddersman, K., see S.A. Axon 172 (1990) 398

Ingänas, O., see G. Zerbi 172 (1990) 143
Ito, Y., see I. Suzuka 172 (1990) 409

Jackson, B., see S. Holloway 172 (1990) 40
Jakobsen, H.J., see J. Skibsted 172 (1990) 279
Jana, P., G.K. Mallik, T. Ganguly and S.B. Banerjee, Heavy-atom effect on emission from free and hydrogen-bonded complexes of excited 1,2,3,4-tetrahydroquinoline 172 (1990) 158
Janssen, M.H.M., R.M. Bowman and A.H. Zewail, Femtosecond temporal spectroscopy of ICl: inversion to the $A^3\Pi_1$ state potential 172 (1990) 99
Jayatilaka, D., see W.H. Miller 172 (1990) 62
Jensen, J.O., G.F. Adams and C.F. Chabalowski, Ab initio study of the electric dipole transition moment for the $\tilde{C}\leftarrow\tilde{X}$ electronic transition in acetylene: theoretical predictions of the absorption and magnetic circular dichroism intensities 172 (1990) 379

Kabbaj, O.K., M.-B. Lepetit and J.-P. Malrieu, Inclusion of dynamical polarization effects is sufficient to obtain reliable energies and structures of $He_n^+$ clusters 172 (1990) 483
Kajimoto, O., see K. Yamasaki 172 (1990) 271
Kakitani, T., see M. Saito 172 (1990) 169
Kalinowski, J., Z. Dreger, J. Godlewski and P. Mondalski, Structural transformations in N-isopropylcarbazole crystal monitored by pressure-induced luminescence 172 (1990) 522
Kar, T., see L. Behera 172 (1990) 487
Kasap, E., B. Gönül and M. Şimşek, Supersymmetric WKB solutions for pseudoharmonic and Mie-type potentials 172 (1990) 499
Kasemo, B., see P. Sjövall 172 (1990) 125
Katada, M., see H. Ohe 172 (1990) 284
Katsikas, L., A. Eychmüller, M. Giersig and H. Weller, Discrete excitonic transitions in quantum-sized CdS particles 172 (1990) 201
Keniry, M.A. and B.C. Sanctuary, Experimental verification of the exact response of nuclear spins to an exponentially shaped pulse 172 (1990) 295
Kinoshita, J., see A. Harano 172 (1990) 219
Kitajima, M., see K. Nakamura 172 (1990) 205
Kitamura, T., see T. Yamanaka 172 (1990) 29
Klinowski, J., see M.W. Anderson 172 (1990) 275
Klinowski, J., see S.A. Axon 172 (1990) 398
Klobukowski, M., Atomic correlation energies from effective-core-potential and model-potential calculations 172 (1990) 361
Kloc, A. and Z. Gburski, Interaction-induced absorption in rare-gas/liquid mixture: a two-body contribution 172 (1990) 73
Kobayashi, Y., Effect of external pressure on the reactivity of nitrobenzene toward positronium in hexane and benzene solutions 172 (1990) 307
Koda, S., see A. Harano 172 (1990) 219
Koepke, Cz. and A. Lempicki, Excited state "photochromism" in bismuth germanate 172 (1990) 224
Koepke, Cz. and A. Lempicki, Excited state absorption in $Bi_4Ge_3O_{12}$ 172 (1990) 227
Koga, N. and K. Morokuma, A simple scheme of estimating substitution or substituent effects in the ab initio MO method based on the shift operator 172 (1990) 243
Koyama, Y., see E. Nishizawa 172 (1990) 317
Krausz, E., see H. Riesen 172 (1990) 5
Kroon, J., see J.M. Warman 172 (1990) 114
Krossner, T., see K. Schöffel 172 (1990) 187
Kubo, A., see H. Ohe 172 (1990) 284
Kuhn, W.K., J.-W. He and D.W. Goodman, IR study of CO surface diffusion on submonolayer metal overlayers 172 (1990) 331
Kunst, M., see K.-M. Schindler 172 (1990) 137

Lamanna, R., M. Delmelle and S. Cannistraro, A near-infrared study of hydrogen bonding in human albumin aqueous solutions 172 (1990) 312
Lange, T., see T.P. Martin 172 (1990) 209
Laubereau, A., see H. Graener 172 (1990) 435
Laverdet, G., G. Le Bras, A. Mellouki and G. Poulet, The $Br+HO_2$ reaction revisited: absolute determination of the rate constant at 298 K 172 (1990) 430
Leahey, J., see B.H. Loo 172 (1990) 33
Le Bras, G., see G. Laverdet 172 (1990) 430

Ledoux, I., J. Zyss, J.S. Siegel, J. Brienne and J.-M. Lehn, Second-harmonic generation from non-dipolar non-centrosymmetric aromatic charge-transfer molecules 172 (1990) 440
Lee, Y.G., see B.H. Loo 172 (1990) 33
Lehn, J.-M., see I. Ledoux 172 (1990) 440
Lempicki, A., see Cz. Koepke 172 (1990) 224
Lempicki, A., see Cz. Koepke 172 (1990) 227
Lepetit, M.-B., see A. Sanchez de Meras 172 (1990) 163
Lepetit, M.-B., see O.K. Kabbaj 172 (1990) 483
Lever, A.B.P., see E.S. Dodsworth 172 (1990) 151
Levin, P.P., see V.Ya. Shafirovich 172 (1990) 10
Levine, R.D., see J.I. Brauman 172 (1990) 231
Lindner, D., see G. Döge 172 (1990) 453
Liu, Z.F., J.N. Cutler, G.M. Bancroft, K.H. Tan, R.G. Cavell and J.S. Tse, High resolution gas phase photoabsorption spectra and multiple-scattering Xα study of $PX_3$ (X=H, $CH_3$, $CF_3$) compounds at the P $L_{2,3}$ edge 172 (1990) 421
Loo, B.H., J. Leahey and Y.G. Lee, Enhanced Raman spectroscopic study of the adsorption of thiocarbohydrazide on silver and copper electrode surfaces 172 (1990) 33

Mahmood, M.F., Collisional behavior of $HgX(B^2\Sigma-X^2\Sigma)$ formation involving $CO^+$ and $CO_2^+$ ions and $HgX_2$ (X=Cl, Br) molecules 172 (1990) 23
Mallik, G.K., see P. Jana 172 (1990) 158
Malrieu, J.-P., see A. Sanchez de Meras 172 (1990) 163
Malrieu, J.-P., see O.K. Kabbaj 172 (1990) 483
Markovic, N., G.D. Billing and J.T. Muckerman, On the use of grid methods for the solution of reactive scattering problems in hyperspherical coordinates 172 (1990) 509
Martin, J.M.L., J.P. François and R. Gijbels, On size-consistency corrections for limited configuration-interaction calculations 172 (1990) 346
Martin, J.M.L., J.P. François and R. Gijbels, Some cost-effective approximations to CCSD and QCISD 172 (1990) 354
Martin, T.P., T. Bergmann, H. Göhlich and T. Lange, Observation of electronic shells of atoms in large Na clusters 172 (1990) 209
Marx, R., see S. Fenistein 172 (1990) 89
Matsuoka, O., Basis-set expansion method for relativistic atoms in the atomic-nucleus model of a finite sphere of constant electric field 172 (1990) 175
Mauclaire, G., see S. Fenistein 172 (1990) 89
McClements, D.J., E. Dickinson and M.J.W. Povey, Crystallization in hydrocarbon-in-water emulsions containing a mixture of solid and liquid droplets 172 (1990) 449
Meletov, K.P., High-pressure study of the crystal-field-induced mixing of exciton states in a naphthalene crystal 172 (1990) 147
Mellouki, A., see G. Laverdet 172 (1990) 430
Merkt, F. and T.P. Softley, Resonance-enhanced sum-frequency generation of XUV radiation in CO, Chem. Phys. Letters 165 (1990) 477. Erratum 172 (1990) 529
Miller, W.H., R. Hernandez, N.C. Handy, D. Jayatilaka and A. Willetts, Ab initio calculation of anharmonic constants for a transition state, with application to semiclassical transition state tunneling probabilities 172 (1990) 62
Mó, O., see M. Alcamí 172 (1990) 471
Mokhtari, A., see P. Cong 172 (1990) 109

Mondalski, P., see J. Kalinowski 172 (1990) 522
Morokuma, K., see N. Koga 172 (1990) 243
Moss, R.E., Calculations on the 0,1 and 0,3 vibration–rotation levels of $H_2^+$ 172 (1990) 458
Muckerman, J.T., see N. Markovic 172 (1990) 509
Mukherjee, D., see D. Mukhopadhyay Jr. 172 (1990) 515
Mukhopadhyay Jr., D., R. Chaudhuri and D. Mukherjee, A new nonperturbative theory of core-hole ionizations: a compact cluster-expansion technique for treating relaxation effects 172 (1990) 515
Müller, B., M. Schüler and J. Reinhold, Ab initio SCF calculations on the potential surfaces of phosphine hydrogen halide complexes in the gas phase 172 (1990) 478
Müller, S.C., see A.M. Zhabotinsky 172 (1990) 445

Naaman, R., see Y. Paz 172 (1990) 120
Nakamura, K., M. Fujitsuka and M. Kitajima, Finite size effect on Raman scattering of graphite microcrystals 172 (1990) 205
Nakatsuji, H. and M. Ehara, Collision-induced absorption spectra of CsXe system studied by SAC-CI theory 172 (1990) 261
Narita, S., see T. Shibuya 172 (1990) 494
Nascimento, M.A.C., see J.S. Craw 172 (1990) 265
Nicolaides, C.A., see P. Valtazanos 172 (1990) 254
Nishizawa, E. and Y. Koyama, The $T_1$ Raman spectra of bacteriochlorophyll a: changes in the bond orders of the conjugated macrocycle upon triplet excitation 172 (1990) 317

Ohe, H., A. Kubo, M. Katada and H. Sano, Motional narrowing of $^{13}C$ dipolar magic-angle-spinning nuclear magnetic resonance spectra 172 (1990) 284
Okamoto, H. and K. Yoshihara, Theoretical study on polarized time-resolved resonance coherent anti-Stokes Raman scattering: effects of ultrafast molecular rearrangement in the electronically excited state 172 (1990) 323
O'Keefe, A., J.J. Scherer, A.L. Cooksy, R. Sheeks, J. Heath and R.J. Saykally, Cavity ring down dye laser spectroscopy of jet-cooled metal clusters: $Cu_2$ and $Cu_3$ 172 (1990) 214
Oliver, A.M., see J.M. Warman 172 (1990) 114
Osad'ko, I.S., Density matrix approach to optical dephasing in solids: nonperturbative theory for dephasing processes, Chem. Phys. Letters 167 (1990) 412. Erratum 172 (1990) 330

Paddon-Row, M.N., see J.M. Warman 172 (1990) 114
Palmer, T.F., see A.T. Amos 172 (1990) 503
Patey, G.N., see P. Attard 172 (1990) 69
Paulse, C.D., R.A. Poirier and R.W. Davis, The molecular structures and harmonic force fields of $SO_2$, $S_2O$, and $S_2O_2$ from combined spectroscopic and SCF results 172 (1990) 43
Paz, Y. and R. Naaman, Vibrational energy distribution in aniline scattered from surfaces covered with organized organic monolayers 172 (1990) 120
Peyerimhoff, S.D., see K. Funken 172 (1990) 180
Poirier, R.A., see C.D. Paulse 172 (1990) 43
Poulet, G., see G. Laverdet 172 (1990) 430
Povey, M.J.W., see D.J. McClements 172 (1990) 449
Pratum, T.K., Correction for anisotropic off-resonance decoupling effects in CPMAS of moderate susceptibility materials 172 (1990) 291

Reinhold, J., see B. Müller 172 (1990) 478
Richter, W., see G. Döge 172 (1990) 453
Riesen, H. and E. Krausz, Resonant line narrowing in Ru(II) tris(3,3′-biisoquinoline) 172 (1990) 5

Saito, M. and T. Kakitani, Monte Carlo simulation study on solvation energy of polar solutions 172 (1990) 169
Salzner, U. and P. von R. Schleyer, Ab initio studies of the geometries and electronic structures of $CaF_2$ and $CaCl_2$ 172 (1990) 461
Sanchez de Meras, A., M.-B. Lepetit and J.-P. Malrieu, Discontinuity of valence CASSCF wave functions around weakly avoided crossing between valence configurations 172 (1990) 163
Sanctuary, B.C., see M.A. Keniry 172 (1990) 295
Sandström, M., see D. Strömberg 172 (1990) 49
Sannigrahi, A.B., see L. Behera 172 (1990) 487
Sano, H., see H. Ohe 172 (1990) 284
Saykally, R.J., see A. O'Keefe 172 (1990) 214
Scherer, J.J., see A. O'Keefe 172 (1990) 214
Schiel, D., see G. Döge 172 (1990) 453
Schindler, K.-M. and M. Kunst, Gas adsorption and the charge-carrier kinetics in ZnO powder 172 (1990) 137
Schleyer, P. von R., see A.I. Boldyrev 172 (1990) 193
Schleyer, P. von R., see U. Salzner 172 (1990) 461
Schöffel, K., F. Dietz and T. Krossner, Model mechanisms for the thermal cis–trans isomerization of cyanines 172 (1990) 187
Schüler, M., see B. Müller 172 (1990) 478
Seifert, G., see H. Graener 172 (1990) 435
Shafirovich, V.Ya., E.E. Batova and P.P. Levin, Magnetic field effect on the recombination of the triplet radical ion pair state of the Zn-porphyrin–viologen dyad: the influence of the supramolecule microenvironment 172 (1990) 10
Sheeks, R., see A. O'Keefe 172 (1990) 214
Shen, Y.R., see R. Superfine 172 (1990) 303
Shibuya, T. and S. Narita, On the Coulomb repulsion integrals used in the parametrized equations-of-motion method for $\pi \rightarrow \pi^*$ transitions 172 (1990) 494
Siegel, J.S., see I. Ledoux 172 (1990) 440
Simon, J., see M. Bouvet 172 (1990) 299
Şimşek, M., see E. Kasap 172 (1990) 499
Sjövall, P., S.K. So, B. Kasemo, R. Franchy and W. Ho, $NO_2$ adsorption on graphite at 90 K 172 (1990) 125
Skibsted, J., J. Hjorth and H.J. Jakobsen, Correlation between $^{29}Si$ NMR chemical shifts and mean Si-O bond lengths for calcium silicates 172 (1990) 279
Slanina, Z., Water-dimer structure, energetics and harmonic vibrations in flexible BJH and MCYL potentials 172 (1990) 367
Smalley, R.E., see L. Wang 172 (1990) 335
So, S.K., see P. Sjövall 172 (1990) 125
Softley, T.P., see F. Merkt 172 (1990) 529
Strömberg, D., M. Sandström and U. Wahlgren, Theoretical calculations on the structure of the hexahydrated divalent zinc, cadmium and mercury ions 172 (1990) 49

Superfine, R., J.Y. Huang and Y.R. Shen, Experimental determination of the sign of molecular dipole moment derivatives: an infrared–visible sum frequency generation absolute phase measurement study 172 (1990) 303
Suzuka, I., T. Tomioka and Y. Ito, Ion-induced sensitized phosphorescence excitation spectra of halobenzenes in supersonic jets 172 (1990) 409

Tadjeddine, A., see P. Guyot-Sionnest 172 (1990) 341
Takahashi, Y., see T. Yamanaka 172 (1990) 29
Takahashi, Y., see T. Yamanaka 172 (1990) 405
Tan, K.H., see Z.F. Liu 172 (1990) 421
Tapia, O., see F. Colonna 172 (1990) 55
Thiemens, M.H., see J. Wen 172 (1990) 416
Tittel, F.K., see L. Wang 172 (1990) 335
Tomioka, T., see I. Suzuka 172 (1990) 409
Tse, J.S., see Z.F. Liu 172 (1990) 421

Uchida, K., see T. Yamanaka 172 (1990) 29
Uchida, K., see T. Yamanaka 172 (1990) 405

Valtazanos, P. and C.A. Nicolaides, Local minima of ground hypersurfaces. The cases of $He_3^{2+}$ and of the $BeH_2^{2+}$ nonclassical dihydrogen complex 172 (1990) 254

Wahlgren, U., see D. Strömberg 172 (1990) 49
Walters, A., see A.T. Amos 172 (1990) 503
Wang, L., L.P.F. Chibante, F.K. Tittel, R.F. Curl and R.E. Smalley, Ammonia chemisorption on gallium arsenide clusters 172 (1990) 335
Warman, J.M., M. Hom, M.N. Paddon-Row, A.M. Oliver and J. Kroon, (Sub)nanosecond intramolecular hole transfer through a rigid, 10-sigma-bond, saturated-hydrocarbon bridge 172 (1990) 114
Wei, D., see P. Attard 172 (1990) 69
Weller, H., see L. Katsikas 172 (1990) 201
Wen, J. and M.H. Thiemens, An apparent new isotope effect in a molecular decomposition and implications for nature 172 (1990) 416
Willetts, A., see W.H. Miller 172 (1990) 62
Wimperis, S., see C. Chung 172 (1990) 94

Yamanaka, T., Y. Takahashi, T. Kitamura and K. Uchida, Time-resolved fluorescence spectra of pyrene doped in amorphous silica glasses 172 (1990) 29
Yamanaka, T., Y. Takahashi and K. Uchida, Time-resolved fluorescence spectra of naphthalene doped in amorphous silica glasses 172 (1990) 405
Yamasaki, K. and O. Kajimoto, Solvent effect in supercritical fluids: keto–enol equilibria of acetylacetone and ethylacetoacetate 172 (1990) 271
Yáñez, M., see M. Alcamí 172 (1990) 471
Yang, Y.M., see S. Fenistein 172 (1990) 89
Yoshihara, K., see H. Okamoto 172 (1990) 323

Zare, R.N., see J.I. Brauman 172 (1990) 231
Zerbi, G., L. Castellani, B. Chierichetti, C. Gallazzi and O. Ingänas, Non-equilibrium structures and geometry relaxation in polyoctylthiophene 172 (1990) 143

Zewail, A.H., see M.H.M. Janssen 172 (1990) 99
Zewail, A.H., see P. Cong 172 (1990) 109
Zhabotinsky, A.M., S.C. Müller and B. Hess, Interaction of chemical waves in a thin layer of microheterogeneous gel with a transversal chemical gradient 172 (1990) 445
Zitserman, V.Yu., see A.M. Berezhkovskii 172 (1990) 235
Zyss, J., see I. Ledoux 172 (1990) 440